

# Water Treatment Monitoring Log

**PSR Required (if applicable)**

**FSMA PSR reference § 112.50**

**Frequency: As necessary**

The Produce Safety Rule (PSR) requires farms covered by the rule to document monitoring of any water treated in accordance with §112.43 of the Produce Safety Rule. Follow all directions on the sanitizer label to ensure proper use.

**Farm Name & Address:** *High Hill Produce 1845 S. Ridge Rd. Red Lodge, MT 59068*    **Month and Year:** *October 2022*

Please refer to Subpart E of the Produce Safety Rule and your farm standard operating procedures for specifics of adequate water treatment.

Date	Time	Water pH	Water Temperature	Turbidity	Sanitizer Used & Rate*	Corrective Actions	Initials
10/15/22	8 am	7.0	70° F	Clear	Aquaguard (chlorine) 50 ppm	None	JSW
10/15/22	10 am	5.5	72° F	Moderately cloudy	Aquaguard (chlorine) 40 ppm	Added sodium hydroxide and Aquaguard until pH reached 7 and sanitizer reached 55 ppm	JSW
10/15/22	1 pm	6.5	70° F	Very cloudy	Aquaguard (chlorine) 45 ppm	Changed batch water due to turbidity	JSW
10/15/22	1:10pm	7	70° F	Clear	Aquaguard (chlorine) 50 ppm	None	JSW
10/15/22	4 pm	6.5	72° F	Clear	Aquaguard (chlorine) 40 ppm	None	JSW
10/16/22	8 am	7	70° F	Clear	FS4665 (Chlorine) 25 ppm	None	JSW
10/16/22	11 am	6.5	74° F	Slightly cloudy	FS4665 (Chlorine) 15 ppm	Added FS 4665 until up to 25 ppm	JSW
10/16/22	2 pm	8.5	73° F	Slightly cloudy	FS4665 (Chlorine) 25 ppm	Added hydrochloric acid until pH reached 6.5	JSW

\*Please keep chemical labels (copy or original) with record

<b>Reviewed by</b> <i>Johnny S Wright</i>	<b>Title:</b> <i>Owner/Supervisor</i>	<b>Date:</b> <i>10/30/2022</i>
---	---------------------------------------	--------------------------------

# Water Treatment Monitoring Log

**PSR Required (if applicable)**

**FSMA PSR reference § 112.50**

**Frequency: As necessary**

The Produce Safety Rule (PSR) requires farms covered by the rule to document monitoring of any water treated in accordance with §112.43 of the Produce Safety Rule. Follow all directions on the sanitizer label to ensure proper use.

**Farm Name & Address:**

**Month and Year:**

Please refer to Subpart E of the Produce Safety Rule and your farm standard operating procedures for specifics of adequate water treatment.

Date	Time	Water pH	Water Temperature	Turbidity	Sanitizer Used & Rate*	Corrective Actions	Initials

\*Please keep chemical labels (copy or original) with record

<b>Reviewed by</b>	<b>Title:</b>	<b>Date:</b>
--------------------	---------------	--------------

This publication was made possible by FDA grant number 1U2FFD007416. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the FDA.